



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/806,125	03/28/2001	Etsuya Matsutani	2556USOP	7053

23115 7590 02/18/2005

TAKEDA PHARMACEUTICALS NORTH AMERICA, INC  
INTELLECTUAL PROPERTY DEPARTMENT  
475 HALF DAY ROAD  
SUITE 500  
LINCOLNSHIRE, IL 60069

EXAMINER

RAWLINGS, STEPHEN L

ART UNIT

PAPER NUMBER

1642

DATE MAILED: 02/18/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

09/806,125

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

20050209

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

**Notice of Non-Responsive Amendment**

1. The reply filed on September 8, 2004 is not fully responsive to the prior Office Action mailed June 9, 2004 because of the following omission(s) or matter(s):

Applicants failed to place the application in compliance with the sequence rules set forth under 37 CFR §§ 1.821-825, as was required by the prior Office Action. See 37 CFR § 1.111.

At page 6 of the amendment filed September 8, 2004, Applicant has remarked: "The Sequence Listing has been modified to better recite the nomenclature of the specification and to incorporate the identified substitutions".

However, Applicant's amendment has resolved the deficiency only in part. Although as Applicant's remarks suggest, the deficiency noted in section 4(b) of the Office action (page 3) has been resolved, the deficiency noted in section 4(a) has not.

MPEP § 2423 and 37 CFR § 1.822 set forth the symbols and format that must be used for disclosures of sequence data; as noted the symbols and format used in the instant disclosure are not consistent with these rules. The sequence data disclosed in the specification should be presented using the same format and using the same nomenclature used in the Sequence Listing.

In reply to this Office communication, Applicant should amend the specification to describe sequence data according to the prescribed format and using proper nomenclature.


2. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR § 1.136(a).**

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen L. Rawlings, Ph.D. whose telephone number is (571) 272-0836. The examiner can normally be reached on Monday-Friday, 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Siew can be reached on (571) 272-0787. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1642

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Stephen L. Rawlings, Ph.D.  
Examiner  
Art Unit 1642

slr  
February 9, 2005